


FELDER®

FSW 2000

THE IDEAL FILTER SOLUTION
FOR EVERY WORKSHOP

FELDER



FSW 2000

The ideal filter solution
for every workshop



FSW 2000


- » Protective spray wall
- » Dimensions (L x W): 2500 x 1180 mm
- » Height: 1026 mm
- » Required air volume: 3600 m³/h

Ideal for painting work on smaller and medium-sized workpieces.
Excellent suction power, deposited in 2 filter stages (paper folding filter and polyester).
Only for water-soluble paints.

Your decision for Felder, a risk-free decision

- » The right machine for every budget
- » Complete reliability in professional use
- » Tailor made machine solutions
- » High quality cast iron machine table and aggregates
- » Innovative detail solutions derived from 60 years of experience – already included in the standard configuration
- » First class manufacturing and finishing standards
- » Intuitive application concepts
- » Modern, distinct design
- » Quality and precision from Austria
- » Powerful and efficient
- » Complete package: Comprehensive service support


The most important highlights at a glance



Optimum extraction of the spray

- » Without additional heat recovery costs
- » Easy maintenance included: throttle flap, rolling carriage and 5 m cable with CE on/off switch

High extraction capacity with separation through two filters



Largest filter area in its class

Technical specifications

Electrics	FSW 2000
001 3x 400 V motor voltage	S
004 50 Hz motor frequency	S
General	
- Dimensions (L x W x H inch)	2500 x 1060 x 1180
- A board for connection of piping	300
- Throttle flap mm	300
- Pressure increase Pa	550
- Effective air flow requirement m ³ /h	3600
- Filter Surface Area (m ²)	2
- Eurovent classified glass particle filter material	4/5 EU3 (G3)
- Fire-resistant paper filter	F1
Important accessories	
- Replacement filter paper with metal strips	O
- Replacement framed glass filter mats, 1 set with 4 pieces	O

Product range

Sliding Table Panel Saws

K 945 S K 740 S K 740 professional K 700 S K 700 professional K 700 K 540 S K 500 S K 500 professional K 500

Shapers

F 900 M F 900 Z F 700 M F 700 Z F 500 MS F 500 M

Saw-Shapers

KF 700 S professional KF 700 professional KF 700 KF 500 professional KF 500

Planers

AD 951 AD 941 AD 741 AD 531 A 951 L A 941 D 951 D 963

Combination machines

CF 741 S professional CF 741 professional CF 741 CF 531 professional CF 531

Bandsaws

FB 940 RS FB 740 RS FB 940 S/SW FB 740 S/SW FB 940/840 FB 740/640 FB 710 FB 610 FB 510

Dowel Boring Machine, Drilling Machine and Horizontal Mortiser

FD 29 professional FD 21 professional FD 250

Heated Veneer Presses

MVP 31.14 flex

Wide Belt Sanding Machines

FW 1102 perform FW 1102 classic FW 950 classic FW 850 classic

Brushing Machine

structura 60.02 structura 40.02

Belt and Edge Sanders

FS 722 FS 900 KF FS 900 K FS 700 K

Edgebanders

G 560 / G 580 classic G 500 EX G 480 G 380 G 360 G 330 G 263 G 220

ForKa 300 S eco

Industrial Panel Saws

KV 925

Extraction Units & Briquetting Presses

RL 350 RL 300 RL 250 RL 200 RL 160 RL 140 RL 125

FBP 50/60/70 AF 22-D200 AF 22 Mobil/Stand/Wandmontage AF 16 AF 14 AF 12

FELDER®

Felder Quality and precision in a nutshell

Since 1956, a guarantee for perfect results with excellent ease of use and reliability in regular professional use. Woodworkers are always enthusiastic about the individual and solid solutions for small and mid-sized businesses.

FELDER GROUP

KR-Felder-Straße 1
A-6060 HALL in Tirol

🇬🇧 Tel. +44 1908 635000
www.felder.uk
[Contact](#)

🇮🇪 Tel. +353 906625756
www.felder.ie
[Contact](#)

🇮🇳 Tel. 1800 274 3040
www.felder.in
[Contact](#)

🌐 Tel. +43 5223 58500
www.felder.int
[Contact](#)