FELDER®

# G 220

## ENTER INTO THE WORLD OF EDGE PROCESSING




EUK

FELDER®



# G 220

## Enter into the world of edge processing

*Panel material*




### G 220

» Installation length: 2042 mm
» Edge thickness 0.4–2 mm
» Workpiece thickness 10–45 mm

Extremely quick glue warm up and simple adjustment to the workpiece and edge thickness – The Felder G 220 particularly impresses in its class with detailed solutions and proven system components. The solid construction and well laid out design ensure that you can use the edgebander without restrictions even in smaller workshops. Get your customised quote for perfect woodworking.

## … Your decision for Felder, a risk-free decision

» The right machine for every budget
» Complete reliability in professional use
» Tailor made machine solutions
» High quality cast iron machine table and aggregates
» Innovative detail solutions derived from 70 years of experience – already included in the standard configuration
» First class manufacturing and finishing standards
» Intuitive application concepts
» Modern, distinct design
» Quality and precision from AUSTRIA
» Powerful and efficient
» Complete package: Comprehensive service support



EUK

# The most important highlights at a glance




**Space saver**
Maximum performance in the smallest of space – only 2 metres total length requirement.




**Operating panel with LCD display and keypad**
The individual machine aggregates can be switched on and off easily from the clearly laid out control panel.

- » Glue temperature settings
- » Automatic glue temperature reduction
- » Individual stations can be selected and disengaged
- » Odometer for amount of material used
- » Display of the maintenance intervals
- » Plain text error messages





**Multifunction trimming unit**
Depending on the desired setting, the overhanging upper and lower edges of the edgebanding can be cut flush with either a 2 mm radius or a 15° bevel cutter.



FELDER®




# Details




**Glue roller and glue pot**
The knurled glue roller ensures an even application of glue to the work piece. The 1.2 kg gluepot provides sufficient glue capacity.

**Pressure unit**
A large coated pressure roller and two plastic pressure rollers, one acting on the workpiece underside and one on the top, ensure a perfect bonding process and perfect joints.



**Pneumatic end trimmer**
The cutting blades cut the edge overhang perfectly flush, exactly at the beginning and end of the workpiece.



# Product range



K 945 S/PCS® K 945 S x-motion/PCS® K 740 S/PCS® K 740 S x-motion/PCS® K 740 professional/PCS® K 740/PCS®



K 700 S/PCS® K 700 professional/PCS® K 700/PCS® K 540 S K 500 S K 500 professional K 500

Sliding Table Panel Saws



F 900 M F 900 Z F 700 M F 700 Z F 500 MS F 500 M

Spindle Moulders



AD 951 AD 941 AD 741 AD 531 A 951 L A 941 D 951 D 963

Planers



FB 940 RS FB 740 RS FB 940 S/SW FB 740 S/SW FB 940/840 FB 740/640 FB 710 FB 610 FB 510

Bandsaws



KV 925

Industrial Panel Saw



FW 1352 perform
FW 1352 classic
FW 1102 perform
FW 1102 classic
FW 950 classic
FW 850 classic

Wide Belt Sanding Machines



G 383 G 363/R G 330 G 263 G 220 ForKa 300 S eco

Edgebanders



KF 700 S professional KF 700 professional KF 700 KF 500 professional KF 500

Saw/Spindle Moulders



CF 741 S professional CF 741 professional CF 741 CF 531 professional CF 531

Combination Machines



FD 29 professional FD 21 professional FD 250

Dowel Boring Machine,
Drilling Machine & Horizontal Mortiser



MVP 31.14 flex

Membrane Press



structura 60.02 structura 40.02

Brushing Machines



FS 722 FS 900 KF FS 700 K

Belt- & Edge Sanders



RL 350 perform RL 350 RL 300 RL 250 RL 200 RL 160 RL 140 RL 125



AF 35 AF 30 AF 25 AF 22-D200 AF 22 M/W/S AF 16 AF 14 AF 12 FBP 50/60/70

Extraction Units & Briquetting Presses

FELDER®

## FELDER Quality and precision in a nutshell

Since 1956, a guarantee for perfect results with excellent ease of use and reliability in regular professional use. Woodworkers are always enthusiastic about the individual and solid solutions for small and mid-sized businesses.


**FELDER GROUP**
KR-Felder-Straße 1
A-6060 HALL in Tirol

(UK) Tel. +44 1908 635000
www.felder.uk
Contact

(IE) Tel. +353 906625756
www.felder.ie
Contact

(IN) Tel. 1800 274 3040
www.felder.in
Contact

(INT) Tel. +43 5223 58500
www.felder.int
Contact



© 05/2023 FELDER KG · KR-Felder-Straße 1, 6060 HALL in Tirol, AUSTRIA · www.felder-group.com
Technical data are subject to change without notice. No liability is taken to content or printing errors.
The machines are occasionally pictured with optional equipment. Images may differ from the original. Picture is not binding.